New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Burlington County Residents

10

100

1.	Current HIV/AIDS Category	Adult/Adole Cases	scent * %		Pediat Cases	ric *		Tota Cases	8
	AIDS-Any OI AIDS-CD4 Only HIV Only	# 155 #	# 32 # 		# 0 #	# O #		76 155 252	16 32 52
	Total		00		6	100		483	100
2.	Current Age * Cases %	3. Race/Et	h. 			s % C	ediatric [,] ases %		
	<pre> <5 # # 5-12 # # 13-19 5 1 20-29 32 7 30-39 134 28 40-49 199 41 50+ 107 22</pre>	White, Black, Hispani	Not Hisp Not Hisp c nknown	anic anic	185	39 48 10 3	0 0 6 100 0 0 0 0 6 100		49 10 3
	Unk. # # Total 483 100								
4.	Patient Group		Males	%		Females		Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		165 70 19 24 73	5 7 21		0 33 0 46 43	0 27 0 38 35	1(1 1	55 35 03 22 19 4 70 15 16 25
	Total		351	100		122	100	47	73 100
			Males	%		Females		Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		###	# #		# #	# #	 1	10 100 0 0

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2003.
- ** 4 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Burlington County Residents

Adult/Adolescent*

. Disease Cat	tegory		es (%)			(왕)		s (%)			Deaths	(%)
KS Alone No Disease	Listed		# (#) # (#) 15 (2) 232 (37)	# (#) # (#) 13 (87) 77 (33)	# # O	(#) (#) (0) (0)	# # 0 0	(#)	197 (15 (232 (30) 31) 2) 37)	13	(81) (87)
Total			621 (100)	393 (63)		(100)		(67)	630 (3		399	(63)
. Age *	Cases	06		Eth.		5	Pediatr Cases	ic*	Cases	olo		
Under 5 5-12 13-19 20-29 30-39	#	# # 15	White Black Hispa Other	e, Not Hispanic x, Not Hispanic anic c/Unknown	287 52	# 46 8 #	# 7 0 #	78 0 #	281 294 52 #	45 47 8 #		
40-49 Over 49 Unknown	178 68 0	28 11		-	621		9	100	630	100		
Total	630	100										

Pediatric*

Total

4. Patient	Group
------------	-------

. Patient Group	Adult/Adolescent Transmission Modes **									
	Males	용	Females	용	Total	용				
Men sex with men (MSM)	245	49	0	0	245	40				
Injection drug user (IDU)	129	26	49	40	178	29				
MSM/IDU	29	6	0	0	29	5				
Heterosexual contact	31	6	43	35	74	12				
Risk not reported/other***	64	13	30	25	94	15				
Total	498	100	122	100	620	100				

	Males	Pediatric %	Transmi: Females	ssion Modes	Total	양
Parent at risk/has AIDS/HIV Risk not reported/other***	#	# #	#	# #	# #	#
Total	5	100	5	100	10	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies. Classification at time of AIDS diagnosis.

^{** 1} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Burlington County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Rate
Before 1985	7	7	100%
1985	10	10	100%
1986	10	10	100%
1987	22	22	100%
1988	27	25	93%
1989	39	34	87%
1990	33	32	97%
1991	48	42	88%
1992	68	56	82%
1993	59	40	68%
1994	62	38	61%
1995	43	28	65%
1996	43	18	42%
1997	24	11	46%
1998	24	6	25%
1999	35	9	26%
2000	18	5	28%
2001	23	#	#
2002	20	#	#
2003	15	#	#
Total	630	399	63%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Burlington County Residents

						Adult/A	Adl*	Pediat	ric*	Total	
1. A	ge *	Cases	용	2.	Race/Ethnicity	Cases	િ	Cases	용	Cases	용
Uı	nder 5	5	2		White, Not Hispanic	#	#	#	#	111	39
5.	-12	#	#		Black, Not Hispanic	131	47	5	83	136	48
1.	3-19	#	#		Hispanic	#	#	#	#	25	9
2	0-29	72	25		Other/Unknown	13	5	0	0	13	5
31	0-39	112	39								
4	0-49	64	22		Total	279	100	6	100	285	100
0	ver 49	22	8								
Uı	nknown	0	0								
T	otal	285	100								
					_ , .	/					
3. Pa	atient Grou	ıp			Adu.			Fransmissi		* * *	

Patient Group	Adult/Adolescent Transmission Modes **									
-	Males	%	Females %	Total	%					
Men sex with men (MSM)	95	47	0 0	95	34					
Injection drug user (IDU)	39	19	25 32	64	23					
MSM/IDU	8	4	0 0	8	3					
Heterosexual contact	12	6	24 31	36	13					
Risk not reported/other***	48	24	28 36	76	27					
Total	202	100	77 100	279	100					
		Pedia	atric Transmission	Modes						
	Males	90	Females %	Total	%					
Parent at risk/has AIDS/HIV	#	#	# #	6	100					
Risk not reported/other***	0	0	0 0	0	0					
Total	#	#	# #		100					

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Burlington County Residents

1.	Current HIV/	'AIDS Ca		Adult/A		Ca	Pediatr ases	ic *		2000	% 	
	AIDS-Any OI AIDS-CD4 Onl HIV Only	-Y		389	9 43 # # # #		9 # #	56 # #		398 232 285	43 25 31	
	Total			899			16	100			100	
2.	Age *	Cases		3. Race/Et		Case	t/Adl* s %	Ped Case			To Cases	tal %
	Under 5 5-12 13-19 20-29 30-39	13 # 14 194 382	1 # 2 21	White, Black, Hispan:	Not Hispani Not Hispani ic Unknown	c c 4			# # 13 81 0 0 # #		392 430 77 16	43 47 8 2
	40-49 Over 49 Unknown	223 86 #	24 9 #	Total			99 100		16 100		915	100
	Total	915	100									
4.	Patient Grou				A Males		F	Transmi	%	odes ** Total		
	Men sex with Injection dr MSM/IDU Heterosexual Risk not rep	n men (M rug user contac	MSM) c (IDU) ct other***		340 168	49 24 5 6 16		0 74 0 67 58	0 37	340 242 37 110 170	38 27 4 12 19	
	Total				700		_	199 1		899		
					Males	%	F	ransmiss emales	%	es Total		
	Parent at ri	sk/has orted/c	AIDS/HIV ther***		 8 #	89 #		#	86	 14 #	#	
	Total				9		_	7 1		16		

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

 $\star\star\star$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Burlington County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	7	7	100%
1985	14	12	86%
1986	13	12	92%
1987	37	33	89%
1988	38	32	84%
1989	50	40	80%
1990	56	42	75%
1991	67	50	75%
1992	118	64	54%
1993	60	31	52%
1994	66	31	47%
1995	69	28	41%
1996	53	14	26%
1997	55	11	20%
1998	37	5	14%
1999	45	8	18%
2000	32	5	16%
2001	36	#	#
2002	32	#	#
2003	30	#	#
Total	915	432	47%